

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE BIOLOGY

F

Foundation Tier Paper 2F

Monday 11 June 2018

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a rulei
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
TOTAL			



0 1 Figure 1 shows a food chain in a river.

Figure 1

Algae → Invertebrate → Small fish → Large fish animals

0 1. Draw one line from each scientific term to the correct organism in the food chain.

[3 marks]

Scientific term	Organism in the food chain
	Algae
Apex predator	Invertebrate animals
Primary consumer	Large fish
Producer	Small fish



0 1.2 Table 1 shows the biomass of the organisms at each stage in the food chain.

Table 1

Organism	Biomass in arbitrary units
Algae	840
Invertebrate animals	200
Small fish	40
Large fish	10

Calculate the percentage of the biomass of the invertebrate animals that is transferred to the large fish.

[2 marks]

Use the equation:

percentage =
$$\frac{\text{biomass of large fish}}{\text{biomass of invertebrate animals}} \times 100$$

Percentage =

Question 1 continues on the next page

Turn over ▶



0 1.3	A large amount of biomass is	lost from the food chain.	
	Complete the sentences.		[3 marks]
	Choose answers from the box	C .	[5 marks]
	coordination	digestion	excretion
	filtration	ingestion	respiration
	When the small fish eat the interpretation broken down during		this material is
	Materials absorbed from the g	jut may enter the body cells o	of the small fish.
	These materials are broken do	own into carbon dioxide and	
	water by	·	
	The carbon dioxide and other	waste materials from the bo	dy cells are removed
	from the small fish by	·	
0 1.4	A disease kills many of the sn	nall fish.	
	Why does the number of inve	rtebrate animals increase?	[1 mark]



Do not write outside the box Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶



0 2 Figure 2 shows some changes that occur during the menstrual cycle. Figure 2 Menstruation Egg release Thickness of lining of uterus 19 21 23 25 27 13 15 17 Time in days Figure 2 shows that the lining of the uterus thickens between days 7 and 27. 0 2 . 1 What is the purpose of thickening the lining of the uterus? [1 mark] Tick **one** box. To allow implantation of the embryo To break down waste To prevent sperm reaching the egg 0 2 2 Which hormone causes thickening of the lining of the uterus? [1 mark] Tick one box. Auxin Oestrogen Testosterone



0 2 . 3	On which day is fertilisation most li	kely to occur?
	Use information from Figure 2.	[1 mark]
	Contraception can be used to lowe	er the chance of pregnancy.
0 2.4	Draw one line from each method of	of contraception to how the method works. [3 marks]
	Method of contraception	How the method works
		Barrier to prevent sperm reaching the egg
	Contraceptive pill	
		Contains hormones to stop eggs maturing
	Diaphragm	
		Kills sperm
	Spermicidal cream	
		Slows down sperm production
	Question 2 contin	ues on the next page

0 2 . 5

Table 2 gives information about some different methods of contraception.

Table 2

Method	Number of pregnancies per 100 women in one year	Possible Side effects
Diaphragm and spermicidal cream	8	Usually none, but can cause bladder infection in some women
Condom	2	None
Contraceptive pill	1	Mood swings, headaches, high blood pressure, blood clots, breast cancer

A man and a woman decide to use the condom as their method of contraception.

Suggest three reasons for this decision.

Use information from Table 2 and your own knowledge.

[3	m	ar	'KS	
----	---	----	-----	--

		[o marko]
1		
2		
3		

a




Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶



	10
0 3	Fossils give evidence about organisms that lived a long time ago.
0 3.1	Scientists have found very few fossils of the earliest life forms.
	Give one reason why. [1 mark]
	Figure 3 is a photograph of a fossilised fish.
	Figure 3
	A Distribution



[2 marks]	Suggest how the fossil in Figure 3 was formed.	0 3.2



0 3.3	The species of fish shown in Figure 3 is now extinct.		Do not wi outside ti box
	Give two possible causes of extinction.	[2 marks]	
	1		
	2		
	Modern fish species have evolved from fish that lived a long time ago.		
	Evolution is caused by mutation and natural selection.		
0 3.4	What is a mutation?	[1 mark]	
	Tick one box.		
	A change in a gene		
	Accidental damage to an organism		
	An organism with a new characteristic		
	The loss of a species		
0 3.5	Describe the process of natural selection.	[3 marks]	
			9

Turn over ▶



0 4	In the mid-19th century, a scientist studied inheritance in pea plants.
	The scientist's work was the beginning of our modern understanding of genetics.
0 4.1	What is the name of this scientist? [1 mark]
	Tick one box.
	Alfred Russel Wallace
	Charles Darwin
	Gregor Mendel
	Jean-Baptiste Lamarck
0 4.2	In the mid-20th century, other scientists identified the chemical substance that makes up genetic material.
	What is the name of the chemical substance that makes up genetic material? [1 mark]
	Tick one box.
	Carbohydrate
	DNA
	Lipid
	Protein




0 4 . 3	A gene often has two alleles.	Do not write outside the box
	One allele is dominant and the other allele is recessive.	
	When is a recessive allele expressed as a characteristic?	
	Tick one box. [1 mark]	
	When the dominant allele is not present	
	When the recessive allele is inherited from the female parent	
	When the recessive allele is inherited from the male parent	
	When the recessive allele is present on only one of the chromosomes	
	Question 4 continues on the next page	

A scientist investigated the inheritance of height in pea plants.

The scientist crossed tall pea plants with short pea plants.

Figure 4 shows the scientist's results.

Figure 4






	In Questions 04.4 and 04.5 , us	e the follo	owing sym	bols to re	epresent alleles:	
	T = the dominant allele for tall.					
	t = the recessive allele for shor	t.				
0 4.4	In Figure 4, the genotype of plant	ant 1 is T	T.			
	Give the genotype of plant 2.					
						[1 mark]
0 4.5	The scientist crossed plant 3 w	rith plant	4.			
	Complete Figure 5 to show the	e offspring	g produced	d from thi	s cross.	
						[2 marks]
		F	igure 5			
			Ma game		ı	
			т	t		
	Female	Т	TT			
	gametes					
		t				
					•	
	Draw a single array of any of the	- h			: 5	
0 4 . 6	Draw a circle around one of the	e nomozy	gous offst	oring in F	igure 5.	[1 mark]
0 4 . 7	What is the ratio of tall plants -	chart nla	nto in the	offenring	in Figure 5 2	
0 4 . 7	What is the ratio of tall plants:	snort pia	nis in (Ne (onspring	III rigure 5?	[1 mark]

Turn over ▶

8



Ratio of tall plants : short plants = _





	Do not write outside the box
nark]	
od	
arks]	

0 5	A person with Type 1 diabetes cannot make enough insulin.		
0 5.1	Which organ makes in	nsulin?	[4 mark]
	Tick one box.		[1 mark]
	Adrenal gland		
	Pancreas		
	Pituitary gland		
	Thyroid		
0 5.2	A person with Type 1 by injecting insulin.	diabetes can control the concentration of gluc	ose in the blood
	Complete the sentence	ces.	[2 marks]
	Choose answers from	n the box.	[2 marks]
	DNA	glycogen	kidney
	liver	protein	skin
	Insulin acts on an org	an called the	
	This organ then takes	s in excess glucose from the blood and change	es
	· ·		
	-		
0 5.3	the glucose into	en as a tablet. This is because insulin is a type	
0 5.3	the glucose into		
0 5.3	the glucose into	en as a tablet. This is because insulin is a type	ach?






Two people each drank the same volume of a glucose drink.

Person A has Type 1 diabetes.

Person B does not have diabetes.

Figure 6 shows how the concentration of glucose in their blood changed.

Figure 6





0 5.4	How much higher was the highest concentration of glucose in the blood of person A than the highest concentration in person B ?
	Use information from Figure 6. [2 marks]
	Answer = mmol/dm ³
0 5 . 5	Describe one other way that the results for person A were different from the results
	for person B . Use information from Figure 6 . [1 mark]
	Question 5 continues on the next page




Type 2 diabetes is another form of diabetes. Type 2 diabetes is common in obese people.

People with Type 2 diabetes make enough insulin, but still cannot control their blood glucose concentration. This is because the body cells are not sensitive to the insulin.

Figure 7 shows information about abdominal fat and insulin sensitivity in body cells.

Figure 7



0 5 . 6	What type of relationship is shown in Figure 7 ?
	Tick one box. [1 mark]
	A negative correlation
	No correlation
	A positive correlation
0 5.7	A person is at risk of developing Type 2 diabetes.
	Suggest two ways the person could lower the chance of developing Type 2 diabetes. [2 marks]
	1
	2



10


0 6

Some weed killers are selective.

Selective weed killers kill broad-leaved weed plants, but do **not** kill narrow-leaved grass plants.

Figure 8 shows some weeds growing on a grassy lawn.

Figure 8



Some students investigated the effect of a selective weed killer on the weeds growing in a lawn. They used 0.5 m \times 0.5 m quadrats.

The lawn was 20 metres long and 10 metres wide.

This is the method used.

- 1. Divide the lawn into two halves, side **A** and side **B**.
- 2. Place 5 quadrats in different positions on side A.
- 3. Place 5 more quadrats in different positions on side B.
- 4. Count the number of weed plants in each quadrat.
- 5. Spray side **A** with weed killer solution.
- 6. Spray side **B** with the same volume of water.
- 7. Repeat steps 2-4 after 2 weeks.

Suggest a method the students should have used to place each quadrat.	[1 mark]

Turn over ▶



0 6.2	Give the	reason for the me	ethod you sugg	ested in Question	06.1.	[1 mark]
0 6.3	Explain v	vhy the students ι	used water on c	one side of the law	n instead of w	eed killer. [2 marks]
	Table 3	shows the studen				
			Та	able 3		
		N	lumber of wee	ds per quadrat		
		At st	art	After 2 w	veeks	
		Side A (Weed killer)	Side B (Water)	Side A (Weed killer)	Side B (Water)	
		8	14	3	8	
		2	9	4	15	
		12	3	0	7	
		15	16	2	12	
		13	3	1	13	
	Mean	10	9	2	X	
0 6 . 4	Calculate	e the mean value,	X, in Table 3.			[1 mark]
			M	ean value, X =		



0 6.5	Calculate the percentage decrease in the number of weeds on side A after 2 weeks. [2 marks]	Ol
	Use the following equation:	
	percentage decrease = $\frac{\text{(mean at start - mean after 2 weeks)}}{\text{mean at start}} \times 100$	
	Percentage decrease =	
0 6.6	One student thought the results were not valid.	
	Suggest one improvement the students could have made to the method to make the results more valid.	
	Give the reason for your answer.	
	[2 marks]	
	Improvement	
	Reason	
		_

Turn over for the next question

Turn over ►




0 7 Mycoprotein is a protein-rich food.

Mycoprotein is made from the fungus Fusarium.

Figure 9 shows a fermenter used for growing Fusarium.

Figure 9



[2 marks]	Explain why the fermenter is sterilised before use.	0 7.1



0 7.2	Cold water is pumped through the cooling coil at point X .
	This maintains a constant temperature inside the fermenter.
	Suggest the temperature at which <i>Fusarium</i> grows fastest.
	Tick one box. [1 mark]
	5 °C
	20 °C
	30 °C
	85 °C
0 7.3	Glucose and bubbles of air enter the fermenter.
	The bubbles of air supply oxygen.
	Explain why Fusarium needs glucose and oxygen. [2 marks]
	[= mano]
0 7.4	The bubbles of air also move materials around the fermenter.
	Suggest why it is useful for bubbles of air and materials to move around inside the fermenter.
	[2 marks]

Turn over ▶



0 7 . 5	100 grams of chicken meat contains 22 grams of protein.	Do not write outside the box
	100 grams of mycoprotein contains 11 grams of protein.	
	A man ate 100 grams of chicken in one meal.	
	How many grams of mycoprotein would the man need to eat to get the same mass of protein as in 100 grams of chicken?	
	Tick one box. [1 mark]	
	100 grams	
	110 grams	
	200 grams	
	220 grams	
		8



Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶



0 8

Some students investigated phototropism in plant seedlings.

This is the method used.

- 1. Measure the lengths of the shoots of 20 seedlings.
- 2. Set up four groups of seedlings as follows:
 - A bottom of shoot covered in aluminium foil
 - **B** tip covered in aluminium foil
 - C tip removed
 - **D** no changes.
- 3. Put the seedlings in a cardboard box.
- 4. Use a lamp to shine a light into the box through a hole in one side.
- 5. After one day, re-measure the lengths of the shoots.
- 6. Make a drawing of the appearance of one seedling from each group.

Figure 10 shows the appearance of one seedling in each group at the start of the investigation.

Cardboard box

A B C D

Figure 10




0 8.1	Which two conditions should the students have kept constant for each ground of seedlings?	ıp [2 marks]
	Tick two boxes.	[Z IIIdi KS]
	The length of the roots	
	The number of seedlings in each group	
	The temperature	
	The thickness of the aluminium foil	
	The volume of water added to the soil	
0 8.2	What is the purpose of the aluminium foil?	[1 mark]
	Tick one box.	[many
	To hold the shoot straight	
	To keep the shoot warm	
	To remove the effect of gravity	
	To stop light reaching the shoot	
	Question 8 continues on the next page	

Turn over ►



Figure 11 shows the students' results.

Figure 11



	Α	В	С	D
Mean length of shoot at start in mm	23	24	21	25
Mean length of shoot after 1 day in mm	28	30	23	30
Mean change in length of shoot in mm	5	6	2	5


0 8.3	Suggest how the students measured the lengths of the curved shoots of seedlings	
	A and D at the end of the investigation. [2 marks]	
0 8.4	The students concluded that the tip of the shoot is needed for the plant to respond to light.	
	Give evidence for this conclusion from Figure 11. [2 marks]	



[1 mark]

5 0 8 . A hormone stimulates growth in shoots. Which distribution of the hormone would cause the results seen in shoot **D**? Tick **one** box.

Key: ×× $\times \times =$ Molecules of × hormone



Turn over for the next question

Turn over ▶

8

0 9	Many human actions are reflexes.	Do not write outside the box
0 9.1	Which two of the following are examples of reflex actions? [2 marks] Tick two boxes.	
	Jumping in the air to catch a ball	
	Raising a hand to protect the eyes in bright light	
	Releasing saliva when food enters the mouth	
	Running away from danger	
	Withdrawing the hand from a sharp object	
	Figure 12 shows how the size of the pupil of the human eye can change by reflex action.	
	Figure 12	
	A Pupil B	
0 9 . 2	Name one stimulus that would cause the pupil to change in size from A to B , as shown in Figure 12 . [1 mark]	
0 9.2	Running away from danger Withdrawing the hand from a sharp object Figure 12 shows how the size of the pupil of the human eye can change by reflex action. Figure 12 A Pupil B Pupil B Name one stimulus that would cause the pupil to change in size from A to B, as shown in Figure 12.	



0 9.3	Structure Q causes the change in size of the pupil.	Do not write outside the box
	Name structure Q. [1 mark]	
0 9.4	Describe how structure Q causes the change in the size of the pupil from A to B . [1 mark]	
	Question 9 continues on the next page	

Turn over ▶



0 9 . 5 Figure 13 shows some structures involved in the coordination of a reflex action. Figure 13 Spinal cord Neurone A Neurone C Neurone B Receptor Effector Describe how the structures shown in **Figure 13** help to coordinate a reflex action. [6 marks]





Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶




1 0

Many scientists think that global air temperature is related to the concentration of carbon dioxide in the atmosphere.

Figure 14 shows changes in global air temperature and changes in the concentration of carbon dioxide in the atmosphere.

Figure 14



Complete Table 4. 0 .

Use information from Figure 14.

[2 marks]

Choose answers from the box.

You may use each answer once, more than once or not at all.

constant	decreasing	increasing

Table 4

	1960 – 1977	1977 – 2003	2003 – 2015
Trend in carbon dioxide concentration	Increasing		
Trend in air temperature			



	Many scientists think that an increase in carbon dioxide concentration in the atmosphere causes an increase in air temperature.
1 0.2	How would an increase in the concentration of carbon dioxide in the atmosphere cause an increase in air temperature? [1 mark]
1 0.3	Evaluate evidence for and against the theory that an increase in the concentration of carbon dioxide in the atmosphere causes an increase in air temperature.
	Use data from Figure 14 and your own knowledge. [4 marks]





	In each year, the concentration of carbon dioxide in the atmosphere is higher in winter than in the summer.	the
1 0.4	Give one human activity that could cause the higher concentration of carbon did in the winter.	oxide mark]
1 0 . 5	Give one biological process that could cause the lower concentration of carbon dioxide in the summer. [1	mark]
1 0 . 6	Give two possible effects of an increase in global air temperature on living organ	nisms.
	1	narks]



Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Turn over ▶




1 1

It is important to maintain water balance in the body.

Figure 15 shows how much water a person gained and lost by different methods in one day.

Figure 15






	When water is balanced, the volume of water taken in by the body is equal to the volume of water lost from the body.	
11.1	Calculate the volume of water the person lost in one day in faeces.	
	Use information from Figure 15 . [2 ma	ırks]
	Volume lost in faeces =	cm ³
1 1.2	Figure 15 shows that one method of gaining water is by metabolism.	
	Which metabolic process produces water? [1 m	ark]
	Tick one box.	
	Breakdown of protein to amino acids	
	Changing glycogen into glucose	
	Digestion of fat	
	Respiration of glucose	
	Question 11 continues on the next page	





	The next day, the person ran a 10-kilometre race. The volume of water lost from the body through the skin and by breathing increased.	O
1 1.3	Explain why more water was lost through the skin during the race. [2 marks]	
1 1.4	Explain why more water was lost by breathing during the race.	
.,,,,,,,	[3 marks]	
	END OF QUESTIONS	







outside the There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House,



Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

Do not write

box